

IQ328+

The new easy to use Charger



Intelligent Charger and Battery Analyzer for Li-Ion / NiCd / NiMH

AccuPower® Technology Designed for Demanding Applications



Li-Ion
NiMH
NiCd

Functions:

- Six Buttons „easy to use“ function (easy handling).
- **LCD display live view with backlight:**
Shows the charge status, capacity, voltage, charge current, operating time and internal resistance.
- **Adjustable charging current:**
300, 500, 700, 1000mA for 1-4 batteries batteries.
- **Single slot-monitored**, each channel independently adjustable.
- **Microprocessor controlled:**
Automatic detection of different chemical systems (between Li-Ion and NiCd / NiMH) and clear differentiation of charging algorithm.
- **Overheating protection:** temperature sensors to prevent overheating and overcharging, the battery safety.

Suitable for the most common cell sizes:

Lithium ion 3.6V - 3.7V and NiCd, NiMH 1.2V round cells - batteries

Li-Ion: 26650, 22650, 18650, 17670, 18490, 18500, 17500, 17355, 16340 (RCR123), 14500, 10440

NiMH / NiCd: AA, AAA, A, Sub-C, C

LCD Display indication:

- Capacity Indicator: Ah
- Charge current Indicator: mA
- Voltage Indicator: V
- Charging time Indicator: h
- Internal Resistance: mR

Included with delivery:

- **Charger IQ328+**
- **Power supply:** AC Input: 100-240V;
DC Output: 12V /2A
- **User Manual**


Smart Battery Charger compact and extremely flat Design



IQ-328+

Dimensions:

L : 159 mm
W : 92 mm
H : 37 mm



Technical details:

Input Voltage: for AC/DC adapter: 100-240 VAC

Charging current: 300, 500, 700, 1000mA for 1-4 (changeable)

For more information: www.b2b.accupower.at

